Slice E

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
314023019_1_1

Customer Reference:
323220

National Grid Reference:
286670, 186790

Slice:
E

Site Area (Ha):
837.17

Search Buffer (m):
1000

Site Details:

Mynydd ty-Talwyn
Proposed Energy Farm

Client Details:

Mrs F Clayton
RSK Environment Ltd
Spring Lodge
172 Chester Road
Helsby
Cheshire
WA6 0AR

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	48
Hazardous Substances	-
Geological	49
Industrial Land Use	54
Sensitive Land Use	55
Data Currency	60
Data Suppliers	64
Useful Contacts	65

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2023. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2023. © Natural Resources Wales & United Kingdom Research and Innovation 2023.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 8	2	1		7
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control	pg 11		4	12	
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature		Yes			
Pollution Incidents to Controlled Waters	pg 14	2	2		2
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 15	2		1	
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 16			1	
Substantiated Pollution Incident Register					
Water Abstractions	pg 17		2		
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 17	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 23	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 23	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 23		Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 23		Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 23	87	84	27	14

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites	pg 48		1		
Historical Landfill Sites	pg 48	1			
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 48	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 49	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 49	8	1		2
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 51	Yes	n/a	n/a	n/a
Mining Instability	pg 51	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 51	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 51		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 51	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 52	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 52	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 53	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 53	Yes	n/a	n/a	n/a

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 54			2	
Fuel Station Entries					
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 55	27	10	8	15
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	284900 186850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (SE)	0	1	287750 186100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SW (SW)	0	1	285550 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SW (SW)	0	1	285600 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SE (SW)	0	1	285950 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E2SW (SW)	0	1	286000 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E2SW (SW)	0	1	286050 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E2SW (SW)	0	1	286100 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285150 186550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NE (NE)	0	1	287050 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285000 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9NW (NW)	0	1	285500 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9NE (NW)	0	1	285950 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5SW (W)	0	1	285350 186350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E5SW (W)	0	1	285450 186400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NW (NE)	0	1	286900 187200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NE (NE)	0	1	287250 187200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E11NE (NE)	0	1	287050 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9NE (NW)	0	1	285950 187400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E11NW (N)	0	1	286850 187400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285650 185200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	284850 186900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E5SW (W)	0	1	285350 186300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5SW (W)	0	1	285400 186300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (S)	0	1	286750 186350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	285300 186250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5SW (W)	0	1	285350 186250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NW (N)	0	1	286800 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NE (NE)	0	1	287100 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285700 185150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285700 185000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	284750 186950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	284950 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SE (E)	0	1	287900 186450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SE (SE)	0	1	287800 186150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NW (NE)	0	1	287350 187150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	285250 186200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	285000 186650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	285200 185900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SW (SW)	0	1	285600 185500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SE (SW)	0	1	285750 185500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	285050 186600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E10SE (N)	0	1	286650 187050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E10SE (N)	0	1	286666 187050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11SW (N)	0	1	286700 187050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285300 186450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E5SW (W)	0	1	285350 186450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5SW (W)	0	1	285600 186450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (SE)	0	1	286900 186450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E10SE (N)	0	1	286600 187000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NW (N)	0	1	286800 187150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5SW (W)	0	1	285650 186400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SW (SE)	0	1	286850 186400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7NE (E)	0	1	287050 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	285200 186500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285250 186500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SE (SW)	0	1	285850 185550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E11NW (NE)	0	1	286950 187350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	287800 184950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285650 185150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285650 185000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E6NE (NW)	0	1	286666 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SE (SW)	0	1	285700 185500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285750 185100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	286666 185000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	287200 184850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	287950 184850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SW (SW)	0	1	285600 185450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SW (SW)	0	1	285650 185450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285250 186150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NE (SE)	0	1	287700 186000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	287100 184850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SW (SW)	0	1	285450 185650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SW (SW)	0	1	285500 185600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E2NE (S)	0	1	286350 185800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285000 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	287900 184850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E1SW (SW)	0	1	285400 185650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E1SW (SW)	0	1	285400 185700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	287950 184800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E10NW (NW)	13	1	286050 187350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SE (NW)	14	1	285950 187750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NE (E)	17	1	287900 186550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E10NW (NW)	27	1	286100 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E10NW (NW)	28	1	286050 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	43	1	286500 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NW (NE)	44	1	287400 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	47	1	286550 187950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	52	1	288050 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	60	1	284950 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11SE (E)	60	1	287250 186850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NE (E)	60	1	287950 186650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SE (NW)	62	1	285950 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14SW (NW)	65	1	286050 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E13SE (NW)	66	1	285950 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14SW (NW)	67	1	286050 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E14SW (NW)	73	1	286000 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E14NE (N)	76	1	286666 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NW (NE)	84	1	287450 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14SW (NW)	87	1	286050 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14SW (NW)	93	1	286050 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	93	1	286500 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E14NW (NW)	94	1	286100 187850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NW (NE)	96	1	287500 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NE (N)	96	1	286600 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SE (NW)	100	1	285900 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NW (NW)	108	1	286100 187900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E13SE (NW)	111	1	285950 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12SW (E)	111	1	287500 187000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14SW (NW)	115	1	286000 187600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E13SW (NW)	116	1	285650 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NE (N)	120	1	286550 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12SE (E)	120	1	287900 187000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NW (NE)	125	1	287500 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E14NW (NW)	134	1	286100 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NW (NW)	143	1	286050 187850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12SE (E)	143	1	287900 187050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NW (N)	145	1	286950 187900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NE (N)	146	1	286600 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	157	1	285000 185250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	167	1	286550 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NW (NW)	175	1	286050 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NE (N)	183	1	286650 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NW (NE)	184	1	287600 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	194	1	288050 187000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	199	1	286500 188150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12SW (E)	214	1	287650 187050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NW (NW)	219	1	286000 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E14NE (N)	220	1	286666 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E13SE (NW)	225	1	285900 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	239	1	284800 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15SE (NE)	245	1	287300 187800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	250	1	287350 187750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	253	1	287350 187800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NE (E)	262	1	287900 187150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	279	1	285000 185000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	299	1	287450 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	308	1	284750 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13NE (NW)	314	1	285950 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	338	1	288250 187000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	351	1	287550 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (E)	357	1	287800 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (E)	357	1	287850 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	360	1	288350 186850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E12NE (E)	361	1	287900 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13NE (NW)	377	1	285850 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	402	1	288400 186792
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (NE)	407	1	287850 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (E)	410	1	287900 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	411	1	288050 187250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	425	1	288600 185700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NE (NE)	430	1	287800 187400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NE (E)	435	1	288000 187300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	E12NE (NE)	440	1	287950 187400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13NE (NW)	443	1	285800 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	443	1	288300 187100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NE (NE)	453	1	287850 187350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13NW (NW)	462	1	285550 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12NE (NE)	468	1	287950 187350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	470	1	285050 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (NE)	474	1	287850 187400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	474	1	285300 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	479	1	288350 187100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E12NE (NE)	482	1	288000 187350
1	**Discharge Consents** Operator: H F J Veysey Esq Property Type: Wooden Containers Location: Oldways End, Brushford, DULVERTON, Somerset Authority: Environment Agency, South West Region Catchment Area: Barle, Devon Reference: NRA-SW-2065/1 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 13th September 1990 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Treated Effluent Discharge Environment: Land/Soakaway Receiving Water: Soakaway, Licence Status: Lapsed, Revoked Or Cancelled **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	E10NW (NW)	0	3	286240 187240
2	**Discharge Consents** Operator: Jones G T Property Type: Livestock Production, Food Production Location: Maescadlawr Farm Holding No 72 Llan, Holding No 72 Llangynwyd Bridgen, Llangynwyd Bridgend Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bk0503101 Permit Version: 1 Effective Date: 24th May 1963 Issued Date: 24th May 1963 Revocation Date: 31st October 1996 Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Freshwater Stream/River Receiving Water: Watercourse Leading To Llynfi **Status: Lapsed (under Environment Act 1995, Schedule 23)** Positional Accuracy: Located by supplier to within 10m	E10SE (N)	0	2	286612 187100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: Mrs Ann C Duffin Property Type: Domestic Property (Single) Location: Birchfield Mill, Llangynwyd, Maesteg, Cf34 9rj Authority: Natural Resources Wales Catchment Area: Not Given Reference: BP027430101 Permit Version: 1 Effective Date: 8th December 1998 Issued Date: 8th December 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Nant Y Gadlys **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	E14NE (N)	158	2	286600 188000
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Maesteg Stw Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Ba2032701 Permit Version: 1 Effective Date: 1st March 1983 Issued Date: 1st March 1983 Revocation Date: 16th December 1986 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Not Supplied Receiving Water: Unnamed Trib Of River Llynfi **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	E16NE (NE)	840	2	287900 188000
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Lletty Brongu Stw Llangynwyd Maestg, Llangynwyd, Maesteg Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0000101 Permit Version: Not Supplied Effective Date: 7th April 2011 Issued Date: 7th April 2011 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Llynfi **Status: Effective** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	920	2	287970 188040
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Lletty Brongu Stw Llangynwyd Maestg, Llangynwyd, Maesteg Authority: Natural Resources Wales Catchment Area: LLYNFI - LLETTY BRONGU STW TO CONF WITH OGMORE Reference: Bp0000101 Permit Version: 5 Effective Date: 7th April 2011 Issued Date: 7th April 2011 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Llynfi **Status: Effective** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	920	2	287970 188040

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Lletty Brongu Stw Llangynwyd Maestg, Llangynwyd, Maesteg Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Bp0000101 Permit Version: 4 Effective Date: 1st January 2010 Issued Date: 26th June 2009 Revocation Date: 6th April 2011 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Llynfi **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	920	2	287970 188040
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Lletty Brongu Stw Llangynwyd Maestg, Llangynwyd, Maesteg Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Bp0000101 Permit Version: 3 Effective Date: 22nd December 2000 Issued Date: 21st December 2000 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Llynfi **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	920	2	287970 188040
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Lletty Brongu Stw Llangynwyd Maestg, Llangynwyd, Maesteg Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: BP0000101 Permit Version: 2 Effective Date: 5th November 1998 Issued Date: 16th December 1986 Revocation Date: 21st December 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Not Supplied Receiving Water: River Llynfi **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	920	2	287970 188040
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Lletu Brongu Stw Maesteg Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Bp0000101 Permit Version: 1 Effective Date: 16th December 1986 Issued Date: 16th December 1986 Revocation Date: 4th November 1998 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Not Supplied Receiving Water: River Llynfi **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	937	2	287970 188070

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Integrated Pollution Prevention And Control** Name: Bridgend Paper Mill Epr/Ep3738ng Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: EP3738NG Original Permit Ref: Not Supplied Effective Date: 17th January 2022 **Status: Effective** Application Type: Bespoke App. Sub Type: Not Supplied Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 PART B A) Activity Description: Not Supplied Primary Activity: N Activity Code: 0.0 Associated Process Activity Description: Not Supplied Primary Activity: N Activity Code: 5.4 PART A (1) A) (l) Activity Description: Not Supplied Primary Activity: N Activity Code: 6.1 PART A (1) B) Activity Description: Not Supplied Primary Activity: Y	E12NE (E)	249	2	287810 187140
6	**Integrated Pollution Prevention And Control** Name: Northwood & Wepa Ltd Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: EP3238EC Original Permit Ref: Ep3738ng Effective Date: 24th February 2014 **Status: Effective** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Located by supplier to within 10m Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: N Activity Code: 5.4 A(1) a) (i) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING BIOLOGICAL TREATMENT Primary Activity: N	E12NE (E)	249	2	287810 187140
6	**Integrated Pollution Prevention And Control** Name: Sca Hygiene Products Tissue Limited Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: SP3431CN Original Permit Ref: Sp3431cn Effective Date: 19th July 2012 **Status: Superseded By Variation** Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Located by supplier to within 10m Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	249	2	287810 187140
6	**Integrated Pollution Prevention And Control** Name: Morgan Credit Energy (Wales) Limited Location: Llynfi Biomass Power Station, Llynfi Biomass Power Station/Old Llynfi Power Station, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Environment Agency, Welsh Region Permit Reference: HP3933FD Original Permit Ref: Hp3933fd Effective Date: Not Supplied **Status: Valid** Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	E12NE (E)	249	3	287810 187140

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Integrated Pollution Prevention And Control** Name: Georgia Pacific Gb Ltd Location: Bridgend Paper Mills, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Environment Agency, Welsh Region Permit Reference: Bj5805 Original Permit Ref: Bj5805 Effective Date: 27th November 2001 **Status:** **Superseded By Variation** Application Type: PPC APPLICATION App. Sub Type: Not Supplied Positional Accuracy: Manually positioned to the address or location Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Not Supplied	E12NE (E)	256	3	287815 187148
6	**Integrated Pollution Prevention And Control** Name: Npower Cogen Limited Location: Bridgend Paper Mills, Bridgend Paper Mill, Llangynwyd, Bridgend, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Lp3930bn Original Permit Ref: Bk6122ie Effective Date: 18th October 2004 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: N Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: Y	E12NE (E)	257	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Npower Cogen Limited Location: Bridgend Paper Mills, Bridgend Paper Mill, Llangynwyd, Bridgend, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Bt9470ir Original Permit Ref: Bk6122ie Effective Date: 12th December 2002 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: Y	E12NE (E)	257	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Npower Cogen Ltd Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RS Authority: Environment Agency, Welsh Region Permit Reference: Bk6122 Original Permit Ref: Bk6122 Effective Date: 15th November 2001 **Status:** **Superseded By Variation** Application Type: PPC APPLICATION App. Sub Type: Not Supplied Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: Not Supplied	E12NE (E)	257	3	287815 187149

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Integrated Pollution Prevention And Control** Name: Sca Hygiene Products Tissue Limited Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: PP3437ZJ Original Permit Ref: Sp3431cn Effective Date: 25th March 2013 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: N Activity Code: 5.4 A(1) a) (i) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING BIOLOGICAL TREATMENT Primary Activity: N Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N	E12NE (E)	258	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: NP3330FK Original Permit Ref: Bj5805ix Effective Date: 28th October 2011 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	258	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Bridgend Paper Mills, Llangynwyd,, MAESTEG, Mid Glamorgan, CF34 9RS Authority: Environment Agency, Welsh Region Permit Reference: EP3639GP Original Permit Ref: Bj5805ix Effective Date: 31st March 2010 **Status:** **Effective** Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	258	3	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Bridgend Paper Mill, Llangynwyd,,, BRIDGEND, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: SP3639KA Original Permit Ref: Sp3639ka Effective Date: 28th July 2009 **Status:** **Superseded By Variation** Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Automatically positioned to the address Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: Y	E12NE (E)	258	2	287815 187149

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Xp3235se Original Permit Ref: Bj5805ix Effective Date: 3rd May 2005 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	258	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Br8042ig Original Permit Ref: Bj5805ix Effective Date: 6th May 2002 **Status:** **Superseded By Variation** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	258	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Georgia-Pacific Gb Limited Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Bj5805ix Original Permit Ref: Bj5805ix Effective Date: 27th November 2001 **Status:** **Superseded By Variation** Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 6.1 A(1) (B) Activity Description: Paper, Pulp And Board; Producing Paper/Board Greater Than 20T/D Primary Activity: Y	E12NE (E)	258	2	287815 187149
6	**Integrated Pollution Prevention And Control** Name: Npower Cogen Limited Location: Bridgend Paper Mills, Bridgend Paper Mill, Llangynwyd, Bridgend, Mid Glamorgan, CF34 9RS Authority: Natural Resources Wales Permit Reference: Bk6122ie Original Permit Ref: Bk6122ie Effective Date: 15th November 2001 **Status:** **Superseded By Variation** Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 B (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 20Mw But Less Than 50Mw (Unless 1.1 A(1) B) Primary Activity: Y	E12NE (E)	258	2	287815 187149
	Nearest Surface Water Feature	E5SE (SW)	0	-	285802 186280
7	**Pollution Incidents to Controlled Waters** Property Type: Cattle Beef Farming: Yards Location: Bryn-Y-Fro, A4063 Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Poor Operational Practise Incident Date: 16th August 1995 Incident Reference: 25524 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E11NE (NE)	0	3	287200 187300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Bryn Y Fro Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Inadequate Design/Capacity Incident Date: 18th November 1994 Incident Reference: 21793 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	E15SE (NE)	0	3	287100 187500
9	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Layby Opposite Jamant, LLANGYNWYD Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Direct Introduction Incident Date: 12th January 1998 Incident Reference: 34528 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Deliberate Act Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E12SW (E)	80	3	287500 187100
10	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Paper Mill Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 12th September 1994 Incident Reference: 21165 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E12NW (NE)	125	3	287500 187300
11	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Paper Mill, River Abstraction Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Not Supplied Incident Date: 15th June 1995 Incident Reference: 24561 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E12NE (NE)	530	3	288000 187400
12	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Sewage Treatment Works Location: Lletty Brongu, Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Not Supplied Incident Date: 12th February 1992 Incident Reference: 3773 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	E16NE (NE)	880	3	287950 188000
	River Quality Name: Nant Iorwerth Goch GQA Grade: River Quality B Reach: Aberbaiden Minewater Dis.- Hafod Becca Estimated Distance (km): 2.2 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	(W)	0	3	285206 186388

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Nant Gadlys GQA Grade: River Quality A Reach: Conf.Llynfi - Gilfach Houses Estimated Distance (km): 2.8 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	E13SE (NW)	0	3	285886 187569
	River Quality Name: Llynfi GQA Grade: River Quality B Reach: Conf.Nant Gwyn-Conf.Trib.D/S Stw B Estimated Distance (km): 1.3 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000	E12NE (E)	449	3	288003 187324
13	**River Quality Chemistry Sampling Points** Name: Nant Gadlys Reach: Confluence River Llynfi To Gilfach Houses Estimated Distance: 2.80 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	E15NW (N)	278	3	287000 187950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**Water Abstractions** Operator: Andrew Scott Ltd Licence Number: Wa/058/0041/0004 Permit Version: Not Supplied Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, Cf34 9rs Authority: Natural Resources Wales Abstraction: Construction:Dewatering Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E12SE (E)	185	2	287835 187078
15	**Water Abstractions** Operator: British Tissues Ltd Licence Number: 21/58/41/0016 Permit Version: Not Supplied Location: Not Supplied Authority: Natural Resources Wales Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	E12NW (E)	212	2	287650 187140
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E10NW (NW)	0	2	286000 187271
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E11NW (NE)	0	2	286899 187244

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E10NW (NW)	0	2	286095 187294
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	E11NW (NE)	0	2	287000 187240
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	285000 186000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E2NW (SW)	0	2	286000 186000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E2NE (S)	0	2	286666 186000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E3NW (SE)	0	2	287000 186000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E4NE (SE)	0	2	288000 186000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E10SE (N)	0	2	286666 187000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	E11SW (NE)	0	2	287000 187000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	E15SE (NE)	0	2	287257 187495
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	285000 186792
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E6NW (W)	0	2	286000 186792

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E6NE (NW)	0	2	286666 186792
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E7NW (E)	0	2	287000 186792
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: High	E8NE (E)	0	2	288000 186792
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	286000 185000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	286666 185000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	287000 185000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	288000 185000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	285000 187000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E10SW (W)	0	2	286000 187000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E6NE (NW)	0	2	286666 186792
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	2	285000 186792
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(S)	0	2	286666 185000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E11NW (NE)	0	2	286899 187244
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	E10NW (NW)	0	2	286095 187294
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E14NE (N)	40	2	286592 187966
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E14NE (N)	40	2	286592 187966
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 339.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286634 187069
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NW (NE)	0	4	286852 187189
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 209.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NW (NE)	0	4	286904 187227

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287454 185702
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 116.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NW (N)	0	4	286910 187453
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287011 187460
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287454 185702
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287472 185750
24	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 10.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287478 185752
25	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 6.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287472 185750
26	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287478 185756
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 205.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E9NW (W)	0	4	285633 187148

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 117.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E9NW (W)	0	4	285627 187171
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 269.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E9NE (NW)	0	4	285678 187326
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 749.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285369 186369
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E4NW (SE)	0	4	287678 185911
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 155.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E1SE (SW)	0	4	285991 185674
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 80.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SW (S)	0	4	286265 185629
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SW (S)	0	4	286285 185659
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 49.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SE (S)	0	4	286330 185675
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 129.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (S)	0	4	286324 185780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E1SW (SW)	0	4	285342 185667
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E1SW (SW)	0	4	285343 185679
39	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 134.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E1SW (SW)	0	4	285335 185674
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (S)	0	4	286314 185824
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 98.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NE (S)	0	4	286400 185839
42	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NE (S)	0	4	286333 185799
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (S)	0	4	286299 185852
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 135.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (SW)	0	4	286219 185957
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (SW)	0	4	286209 185962

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (SW)	0	4	286203 185966
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2NW (SW)	0	4	286188 185993
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 216.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287226 187280
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 240.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12NW (NE)	0	4	287396 187223
50	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 381.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E7SW (SE)	0	4	286876 186402
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 106.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285464 186407
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285370 186373
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 96.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285362 186406
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285572 186402

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285478 186412
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285529 186420
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287090 187256
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287142 187264
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 55.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287224 187282
60	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 45.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287175 187355
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5SW (W)	0	4	285551 186446
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5NW (W)	0	4	285333 186464
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5NW (W)	0	4	285336 186471

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 292.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5NW (W)	0	4	285475 186723
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5NW (W)	0	4	285482 186756
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E5NW (W)	0	4	285500 186784
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 96.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287210 187327
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 137.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287082 187408
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 169.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287175 187355
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 247.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287058 187425
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 196.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SE (S)	0	4	286404 185504
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 427.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Craigyraber Catchment Name: Kenfig Primacy: 1	E1SW (SW)	0	4	285518 185531

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Fadog Catchment Name: Kenfig Primacy: 1	E1SE (SW)	0	4	285733 185476
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 77.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SE (S)	0	4	286450 185496
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 186.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Fadog Catchment Name: Kenfig Primacy: 1	E1SE (SW)	0	4	285900 185509
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SE (S)	0	4	286450 185496
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E11NE (NE)	0	4	287050 187428
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 48.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SE (S)	0	4	286418 185504
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 201.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SW (S)	0	4	286278 185628
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 72.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Fadog Catchment Name: Kenfig Primacy: 1	E1SE (SW)	0	4	285967 185521
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 95.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E1SE (SW)	0	4	285907 185601

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 219.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Fadog Catchment Name: Kenfig Primacy: 1	E2SW (S)	0	4	286163 185564
83	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 45.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	E2SW (S)	0	4	286204 185582
84	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 316.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E4NE (SE)	0	4	287782 186112
85	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 394.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E7SE (SE)	0	4	287208 186435
86	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 381.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E8SE (E)	0	4	287911 186412
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 290.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (NW)	0	4	286542 187048
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 2	E10SE (N)	0	4	286579 187060
89	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286578 187059
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286584 187060

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
91	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286603 187068
92	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286609 187068
93	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10SE (N)	0	4	286609 187068
94	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 212.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E4SW (SE)	0	4	287492 185777
95	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4NE (SE)	0	4	287684 185883
96	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 2	E4NW (SE)	0	4	287675 185909
97	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 45.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E4NW (SE)	0	4	287676 185901
98	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 764.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SW (NW)	0	4	285546 187493
99	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4NW (SE)	0	4	287677 185877

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4NE (SE)	0	4	287681 185887
101	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4NE (SE)	0	4	287681 185887
102	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E4NW (SE)	0	4	287676 185901
103	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SW (NW)	4	4	285563 187498
104	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 501.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E7NW (SE)	5	4	286981 186492
105	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 2	E13SW (NW)	5	4	285563 187498
106	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10NW (NW)	7	4	286014 187318
107	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14SW (NW)	8	4	286161 187749
108	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 394.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10NW (NW)	9	4	286128 187414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
109	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 179.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	12	4	285712 187531
110	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 100.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E10NW (NW)	18	4	286065 187384
111	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 249.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E9NE (NW)	21	4	285987 187386
112	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15SW (N)	28	4	286932 187700
113	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E8NE (E)	30	4	288012 186749
114	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 453.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	43	4	286569 187984
115	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	48	4	285751 187522
116	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	50	4	285768 187528
117	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 69.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 2	E13SE (NW)	57	4	285776 187547

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
118	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 16.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E8NE (E)	76	4	287949 186535
119	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	78	4	285777 187543
120	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 400.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	81	4	286541 188020
121	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 2	E13SE (NW)	81	4	285779 187547
122	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 74.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	82	4	285839 187581
123	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 210.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E14NW (NW)	83	4	286070 187826
124	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 108.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E12SW (E)	87	4	287396 186969
125	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E8NE (E)	88	4	287954 186551
126	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	97	4	286176 187974

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
127	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E12SW (E)	97	4	287396 186969
128	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12SW (E)	97	4	287390 186963
129	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 2	E14NW (NW)	97	4	286173 187972
130	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12SW (E)	98	4	287473 187025
131	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E12SW (E)	98	4	287470 187033
132	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E12SW (E)	98	4	287471 187035
133	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E14NW (NW)	103	4	286163 187973
134	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 187.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Cefnydfa Catchment Name: Ogmore Primacy: 1	E8NE (E)	103	4	287960 186570
135	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 144.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	105	4	286173 187981

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
136	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 24.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	119	4	286541 188020
137	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 119.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E14SW (NW)	119	4	285997 187750
138	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	123	4	286597 187973
139	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	123	4	286569 187984
140	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 509.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E12SW (E)	128	4	287516 187042
141	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 207.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13SE (NW)	128	4	285839 187581
142	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	128	4	285843 187583
143	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 100.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	130	4	285920 187601
144	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13SE (NW)	131	4	285843 187583

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
145	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	137	4	286566 188019
146	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 82.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E7NW (E)	137	4	286879 186779
147	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 221.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Gwyn Catchment Name: Ogmore Primacy: 1	E7NE (E)	139	4	287259 186784
148	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 18.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	139	4	286565 188023
149	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 49.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	141	4	286639 187972
150	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	142	4	286604 187976
151	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 352.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E7NE (E)	142	4	287247 186707
152	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	147	4	286652 187975
153	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	149	4	286655 187976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
154	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.8 Watercourse Level: Underground Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E14NE (N)	152	4	286660 187978
155	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 60.8 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	157	4	286581 188033
156	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	159	4	285983 187739
157	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	163	4	285920 187601
158	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 2	E13SE (NW)	168	4	285971 187730
159	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	168	4	285977 187735
160	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 304.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E7NW (E)	168	4	286955 186771
161	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NW (N)	170	4	286717 187973
162	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13SE (NW)	175	4	285962 187719

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
163	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant Bryncynan Catchment Name: Ogmore Primacy: 1	E13SE (NW)	175	4	285962 187719
164	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 103.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15NW (N)	183	4	286737 187974
165	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NW (N)	187	4	286737 187974
166	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 61.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	197	4	286051 187990
167	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	203	4	286084 188038
168	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	203	4	286084 188038
169	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	204	4	286085 188040
170	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	205	4	286065 188022
171	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	205	4	286065 188022

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
172	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	207	4	286075 188036
173	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 192.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	209	4	286598 188091
174	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 144.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12NW (NE)	216	4	287636 187242
175	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	217	4	286050 188022
176	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	217	4	286050 188022
177	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	218	4	286021 187983
178	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 215.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E14NW (NW)	222	4	286027 187998
179	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 270.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NW (N)	228	4	286966 187942
180	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	232	4	286084 188077

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
181	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 344.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NE (N)	234	4	287048 187931
182	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15NW (N)	235	4	286781 188000
183	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	235	4	286061 188061
184	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	235	4	286061 188061
185	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 125.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15NW (N)	236	4	286780 188002
186	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	239	4	286082 188085
187	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NE (NE)	253	4	287268 187852
188	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 2	E15NE (NE)	253	4	287268 187852
189	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 306.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NE (NE)	255	4	287304 187819

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
190	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 108.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	255	4	286658 188093
191	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	255	4	286058 188084
192	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 330.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NW (NW)	258	4	286057 188088
193	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	263	4	286638 188128
194	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E14NE (N)	263	4	286638 188128
195	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 123.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15NW (N)	269	4	286761 188122
196	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.3 Watercourse Level: Underground Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NW (N)	277	4	287002 187952
197	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E15NW (N)	279	4	286996 187953
198	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 217.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E15NW (N)	279	4	286996 187953

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
199	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 300.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12NE (E)	282	4	287776 187224
200	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16SW (NE)	345	4	287499 187710
201	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E16SW (NE)	345	4	287499 187710
202	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16SW (NE)	393	4	287561 187706
203	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 346.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E16SW (NE)	395	4	287565 187704
204	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16SW (NE)	400	4	287561 187719
205	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16SW (NE)	400	4	287561 187719
206	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 151.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E13NE (NW)	425	4	285820 188051
207	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NE (NW)	425	4	285820 188051

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
208	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	E12NE (E)	436	4	287988 187337
209	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 150.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12NE (NE)	468	4	287950 187396
210	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 183.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	E12NE (NE)	469	4	287988 187341
211	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NW (NW)	471	4	285411 187981
212	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 285.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NE (NW)	492	4	285666 188043
213	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 207.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NW (NW)	499	4	285411 187981
214	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E13NE (NW)	551	4	285683 188053
215	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NE (NW)	551	4	285683 188053
216	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NE (NW)	562	4	285669 188047

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
217	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 47.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E12NE (NE)	572	4	287931 187465
218	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 123.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16SE (NE)	582	4	287930 187480
219	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 296.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	E13NW (NW)	601	4	285649 188101
220	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 92.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E13NW (NW)	601	4	285648 188101
221	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.3 Watercourse Level: Underground Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E16SE (NE)	614	4	287850 187657
222	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Gadlys Catchment Name: Ogmore Primacy: 1	E16SE (NE)	629	4	287875 187643
223	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 137.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	E16SE (NE)	653	4	287930 187606
224	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 275.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	E16SE (NE)	654	4	287928 187611
225	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 214.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16NE (NE)	734	4	287872 187857

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
226	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 425.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	E16NE (NE)	735	4	287877 187853
227	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 190.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	E16NE (NE)	795	4	287806 188054

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
228	**BGS Recorded Landfill Sites** Site Name: Cwm Nant Gwyn Location: Llanfi Power Stn, ABERKENFIG, Glam Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Positioned by the supplier Boundary Accuracy: Derived	E7NW (E)	169	-	286971 186686
229	**Historical Landfill Sites** Licence Holder: Not Supplied Location: Llynfi Power Station Name: Cwn Nant Gwyn Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD32510 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste Type: Not Supplied EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: 1269 Other Ref: Not Supplied	E11NW (N)	0	2	286792 187176
	Local Authority Landfill Coverage Name: Bridgend County Borough Council - Has supplied landfill data		0	5	286666 186792
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	6	285359 186407

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	E6NE (NW)	0	1	286666 186792
230	**BGS Recorded Mineral Sites** Site Name: Bryn-Cynan Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160198 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E10NW (NW)	0	1	286205 187420
231	**BGS Recorded Mineral Sites** Site Name: Gilfach-Isaf Location: Llangynwyd, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160199 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E9NE (NW)	0	1	285697 187378
231	**BGS Recorded Mineral Sites** Site Name: Gilfach-Isaf Location: Llangynwyd, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160200 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E9NE (NW)	0	1	285710 187426
232	**BGS Recorded Mineral Sites** Site Name: Maes-Cadlawr Location: Llangynwyd, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160201 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E9NE (NW)	0	1	285716 187207
233	**BGS Recorded Mineral Sites** Site Name: Maes-Cadlawr Location: Llangynwyd, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160202 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E9SE (W)	0	1	285966 186988

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
234	**BGS Recorded Mineral Sites** Site Name: Maes-Cadlawr Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160203 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E10NE (NW)	0	1	286426 187166
235	**BGS Recorded Mineral Sites** Site Name: Maes-Cadlawr Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160204 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	E10SE (NW)	0	1	286556 187027
236	**BGS Recorded Mineral Sites** Site Name: Pen-Tyle Location: Cefn Cribwr, Bridgend, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160274 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Rhondda Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E1SW (SW)	0	1	285392 185563
237	**BGS Recorded Mineral Sites** Site Name: Bryn-Cynan Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160197 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E14NE (N)	3	1	286364 187953
238	**BGS Recorded Mineral Sites** Site Name: Gelli-Siriol Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160196 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	860	1	287995 187899
239	**BGS Recorded Mineral Sites** Site Name: Maes-Y-Bettws Colliery Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160194 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	E16NE (NE)	963	1	287995 188079

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	E6NE (NW)	0	7	286666 186792
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	E6NE (NW)	0	-	286666 186792
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E10SE (NW)	0	1	286550 186945
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E1SW (SW)	0	1	285513 185512
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	21	1	287364 186972
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	21	1	287364 186972
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E12NW (NE)	0	1	287414 187154
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E1SW (SW)	0	1	285499 185475
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E10SE (NW)	0	1	286569 186970
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E10SE (N)	0	1	286574 187019
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E10SE (NW)	0	1	286507 186910
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E11NE (NE)	0	1	287269 187190
	Potential for Landslide Ground Stability Hazards Hazard Potential: High Source: British Geological Survey, National Geoscience Information Service	E1SW (SW)	0	1	285513 185512
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Landslide Ground Stability Hazards Hazard Potential: High Source: British Geological Survey, National Geoscience Information Service	E10SE (NW)	0	1	286426 187023
	Potential for Landslide Ground Stability Hazards Hazard Potential: High Source: British Geological Survey, National Geoscience Information Service	E10SE (NW)	0	1	286550 186945

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E11NE (NE)	0	1	287119 187246
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E11NW (N)	0	1	286812 187445
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E10NW (NW)	0	1	286095 187294
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E12NW (NE)	91	1	287414 187365
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E14SW (NW)	118	1	286048 187796
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E12SE (E)	122	1	287881 187011
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E13SW (NW)	152	1	285580 187638
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E15NE (NE)	210	1	287230 187827
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E15NW (N)	222	1	286901 187915
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E10NW (NW)	0	1	286095 187294
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E11NW (NE)	0	1	286899 187244
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	21	1	287364 186972
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	97	1	287467 187032
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E15NW (N)	187	1	286960 187868
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E11NW (NE)	0	1	286899 187244
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (5 to 10% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E14NE (N)	0	1	286550 187950
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E10NW (NW)	0	1	286125 187450
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E11NW (N)	0	1	286750 187425

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E14NE (N)	0	1	286550 187950
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E10NW (NW)	0	1	286125 187450
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E11NW (N)	0	1	286750 187425
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E6NE (NW)	0	1	286666 186792

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
240	**Contemporary Trade Directory Entries** Name: Northwood & Wepa Location: BRIDGEND PAPER MILLS, LLANGYNWYD, COYTRAHEN, MAESTEG, CF34 9RS Classification: Hygiene & Sanitary Appliance Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	E12NE (E)	254	-	287816 187146
240	**Contemporary Trade Directory Entries** Name: A B B Industrial Systems Ltd Location: Bridgend Paper Mills, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RS Classification: Automation Systems & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	E12NE (E)	258	-	287815 187149

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
241	**Ancient Woodland** Name: Not Supplied Reference: 8092 Area(m²): 21942.17 Type: Ancient and Semi-Natural Woodland	(SW)	0	2	285592 185140
242	**Ancient Woodland** Name: Not Supplied Reference: 8093 Area(m²): 12155.79 Type: Ancient and Semi-Natural Woodland	E5NW (W)	0	2	285365 186529
243	**Ancient Woodland** Name: Not Supplied Reference: 39613 Area(m²): 22734.97 Type: Plantation on Ancient Woodland	(SW)	0	2	285665 185111
244	**Ancient Woodland** Name: Not Supplied Reference: 22161 Area(m²): 7926.34 Type: Restored Ancient Woodland Site	E13SW (NW)	0	2	285440 187494
245	**Ancient Woodland** Name: Not Supplied Reference: 15645 Area(m²): 12000.51 Type: Ancient and Semi-Natural Woodland	(SE)	0	2	287725 185201
246	**Ancient Woodland** Name: Not Supplied Reference: 15808 Area(m²): 5236.87 Type: Ancient and Semi-Natural Woodland	E11NW (NE)	0	2	286933 187416
247	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 282142.25 Type: Plantation on Ancient Woodland	E5SW (W)	0	2	285328 186385
248	**Ancient Woodland** Name: Not Supplied Reference: 13911 Area(m²): 3642.06 Type: Ancient and Semi-Natural Woodland	(S)	0	2	287178 184772
249	**Ancient Woodland** Name: Not Supplied Reference: 21377 Area(m²): 30473.75 Type: Restored Ancient Woodland Site	E4NW (SE)	0	2	287643 186060
250	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 68375.82 Type: Plantation on Ancient Woodland	E1SE (SW)	0	2	285702 185455
251	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 14695.29 Type: Plantation on Ancient Woodland	E1SW (SW)	0	2	285330 185683
252	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 12.5 Type: Plantation on Ancient Woodland	(SW)	0	2	285667 185107
253	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 2.15 Type: Plantation on Ancient Woodland	(SW)	0	2	285666 185111
254	**Ancient Woodland** Name: Not Supplied Reference: 8092 Area(m²): 4436.9 Type: Ancient and Semi-Natural Woodland	(SW)	0	2	285664 185098

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
255	**Ancient Woodland** Name: Not Supplied Reference: 8092 Area(m²): 11.76 Type: Ancient and Semi-Natural Woodland	(SW)	0	2	285665 185112
256	**Ancient Woodland** Name: Not Supplied Reference: 13920 Area(m²): 7233.59 Type: Ancient and Semi-Natural Woodland	(SW)	0	2	285449 185258
257	**Ancient Woodland** Name: Not Supplied Reference: 13920 Area(m²): 99016.04 Type: Ancient and Semi-Natural Woodland	E5SW (W)	0	2	285438 186410
258	**Ancient Woodland** Name: Not Supplied Reference: 13920 Area(m²): 69247.86 Type: Ancient and Semi-Natural Woodland	E1SE (SW)	0	2	285802 185510
259	**Ancient Woodland** Name: Not Supplied Reference: 41077 Area(m²): 17823.94 Type: Plantation on Ancient Woodland	E5NW (W)	0	2	285433 186665
260	**Ancient Woodland** Name: Not Supplied Reference: 13919 Area(m²): 1378.77 Type: Ancient and Semi-Natural Woodland	E5NW (W)	0	2	285396 186511
261	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 140283.48 Type: Plantation on Ancient Woodland	E1SW (SW)	0	2	285558 185532
262	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 47460.28 Type: Plantation on Ancient Woodland	E5SW (W)	0	2	285534 186436
263	**Ancient Woodland** Name: Not Supplied Reference: 13921 Area(m²): 6224.74 Type: Ancient and Semi-Natural Woodland	(W)	0	2	284943 186669
264	**Ancient Woodland** Name: Not Supplied Reference: 13922 Area(m²): 42669.62 Type: Ancient and Semi-Natural Woodland	E7NE (E)	0	2	287006 186715
265	**Ancient Woodland** Name: Not Supplied Reference: 8094 Area(m²): 101136.81 Type: Ancient and Semi-Natural Woodland	E7NW (E)	0	2	286918 186726
266	**Ancient Woodland** Name: Not Supplied Reference: 15812 Area(m²): 177717.76 Type: Ancient and Semi-Natural Woodland	E10NW (NW)	0	2	286078 187240
267	**Ancient Woodland** Name: Not Supplied Reference: 21883 Area(m²): 48505.68 Type: Restored Ancient Woodland Site	E8NE (E)	0	2	287824 186544
268	**Ancient Woodland** Name: Not Supplied Reference: 15806 Area(m²): 8757.35 Type: Ancient and Semi-Natural Woodland	E12SW (E)	2	2	287461 187025

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
269	**Ancient Woodland** Name: Not Supplied Reference: 15809 Area(m²): 3907.57 Type: Ancient and Semi-Natural Woodland	E10NW (NW)	5	2	286109 187270
270	**Ancient Woodland** Name: Not Supplied Reference: 13923 Area(m²): 4399.3 Type: Ancient and Semi-Natural Woodland	E7NW (E)	36	2	286938 186774
271	**Ancient Woodland** Name: Not Supplied Reference: 7439 Area(m²): 5387.78 Type: Ancient and Semi-Natural Woodland	E12SW (E)	87	2	287393 186962
272	**Ancient Woodland** Name: Not Supplied Reference: 41076 Area(m²): 5868.58 Type: Plantation on Ancient Woodland	(SW)	91	2	285670 184779
273	**Ancient Woodland** Name: Not Supplied Reference: 7438 Area(m²): 2668 Type: Ancient and Semi-Natural Woodland	E11SE (E)	110	2	287331 186924
274	**Ancient Woodland** Name: Not Supplied Reference: 15805 Area(m²): 3008.65 Type: Ancient and Semi-Natural Woodland	E12SW (E)	139	2	287412 186925
275	**Ancient Woodland** Name: Not Supplied Reference: 10727 Area(m²): 50294.87 Type: Restored Ancient Woodland Site	(SE)	150	2	288206 185226
276	**Ancient Woodland** Name: Not Supplied Reference: 13912 Area(m²): 3405.69 Type: Ancient and Semi-Natural Woodland	(SW)	204	2	285280 184824
277	**Ancient Woodland** Name: Not Supplied Reference: 15810 Area(m²): 38048.17 Type: Ancient and Semi-Natural Woodland	E15NE (N)	210	2	287016 187911
278	**Ancient Woodland** Name: Not Supplied Reference: 11877 Area(m²): 10475.01 Type: Ancient and Semi-Natural Woodland	E14NE (N)	256	2	286630 188125
279	**Ancient Woodland** Name: Not Supplied Reference: 10631 Area(m²): 253679.78 Type: Restored Ancient Woodland Site	(E)	355	2	288382 186420
280	**Ancient Woodland** Name: Not Supplied Reference: 15807 Area(m²): 56717.32 Type: Ancient and Semi-Natural Woodland	(E)	384	2	288034 187278
281	**Ancient Woodland** Name: Not Supplied Reference: 8386 Area(m²): 83895.93 Type: Ancient and Semi-Natural Woodland	(SE)	409	2	288597 185243
282	**Ancient Woodland** Name: Not Supplied Reference: 21879 Area(m²): 1259.64 Type: Restored Ancient Woodland Site	(E)	430	2	288400 186365

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
283	**Ancient Woodland** Name: Not Supplied Reference: 15813 Area(m²): 4186.16 Type: Ancient and Semi-Natural Woodland	(N)	435	2	286674 188315
284	**Ancient Woodland** Name: Not Supplied Reference: 22108 Area(m²): 7763.35 Type: Restored Ancient Woodland Site	(SE)	436	2	288570 185561
285	**Ancient Woodland** Name: Not Supplied Reference: 15815 Area(m²): 160071.1 Type: Ancient and Semi-Natural Woodland	E12NE (NE)	453	2	287914 187454
286	**Ancient Woodland** Name: Not Supplied Reference: 13913 Area(m²): 8031.07 Type: Ancient and Semi-Natural Woodland	(SW)	537	2	284763 184897
287	**Ancient Woodland** Name: Not Supplied Reference: 15170 Area(m²): 7167.28 Type: Ancient and Semi-Natural Woodland	(E)	560	2	288412 187164
288	**Ancient Woodland** Name: Not Supplied Reference: 41074 Area(m²): 61064.08 Type: Plantation on Ancient Woodland	(SW)	597	2	284699 184896
289	**Ancient Woodland** Name: Not Supplied Reference: 11878 Area(m²): 2958.21 Type: Ancient and Semi-Natural Woodland	(N)	614	2	286565 188549
290	**Ancient Woodland** Name: Not Supplied Reference: 10747 Area(m²): 86295.1 Type: Restored Ancient Woodland Site	(NW)	682	2	285569 188213
291	**Ancient Woodland** Name: Not Supplied Reference: 15167 Area(m²): 8656.01 Type: Ancient and Semi-Natural Woodland	(E)	700	2	288689 186888
292	**Ancient Woodland** Name: Not Supplied Reference: 22162 Area(m²): 2324.08 Type: Restored Ancient Woodland Site	(NW)	757	2	285618 188346
293	**Ancient Woodland** Name: Not Supplied Reference: 50015 Area(m²): 11569.07 Type: Ancient Woodland Site of Unknown Category	E16NE (NE)	840	2	287917 187976
294	**Ancient Woodland** Name: Not Supplied Reference: 40354 Area(m²): 35620.15 Type: Plantation on Ancient Woodland	(NW)	862	2	285496 188356
295	**Ancient Woodland** Name: Not Supplied Reference: 50426 Area(m²): 747.59 Type: Ancient Woodland Site of Unknown Category	E16NE (NE)	887	2	287955 188005
296	**Ancient Woodland** Name: Not Supplied Reference: 15814 Area(m²): 10516.79 Type: Ancient and Semi-Natural Woodland	(NE)	887	2	287561 188424

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
297	**Ancient Woodland** Name: Not Supplied Reference: 15811 Area(m²): 2619.88 Type: Ancient and Semi-Natural Woodland	(NE)	911	2	288026 187945
298	**Ancient Woodland** Name: Not Supplied Reference: 15816 Area(m²): 6310.1 Type: Ancient and Semi-Natural Woodland	(NE)	920	2	287456 188519
299	**Ancient Woodland** Name: Not Supplied Reference: 15817 Area(m²): 3750.47 Type: Ancient and Semi-Natural Woodland	(N)	964	2	287363 188602
300	**Ancient Woodland** Name: Not Supplied Reference: 40354 Area(m²): 6.17 Type: Plantation on Ancient Woodland	(NW)	976	2	285157 188449

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Bridgend County Borough Council - Environmental Health Department	January 2020	Annual Rolling Update
Natural Resources Wales	June 2020	Annually
Neath Port Talbot County Borough Council - Environmental Health Department	October 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - South West Region	April 2023	Quarterly
Environment Agency - Welsh Region	August 2014	Quarterly
Natural Resources Wales	May 2023	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Welsh Region	January 2021	Quarterly
Natural Resources Wales	May 2023	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Bridgend County Borough Council - Environmental Health Department	July 2015	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Variable
Local Authority Pollution Prevention and Controls		
Bridgend County Borough Council - Environmental Health Department	July 2015	Not Applicable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Bridgend County Borough Council - Environmental Health Department	July 2015	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2015	Variable
Nearest Surface Water Feature		
Ordnance Survey	May 2023	
Pollution Incidents to Controlled Waters		
Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes		
Environment Agency - Welsh Region	July 2015	
Natural Resources Wales	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Welsh Region	March 2013	
Natural Resources Wales	March 2013	
Registered Radioactive Substances		
Natural Resources Wales	January 2015	
Environment Agency - Welsh Region	June 2016	As notified
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register		
Natural Resources Wales	April 2023	Quarterly
Environment Agency Wales - South West Area	January 2021	Quarterly
Water Abstractions		
Environment Agency - Welsh Region	April 2023	Quarterly
Natural Resources Wales	June 2023	Quarterly
Water Industry Act Referrals		
Environment Agency - Welsh Region	October 2017	
Natural Resources Wales	October 2022	
Groundwater Vulnerability Map		
Natural Resources Wales	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations		
Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations		
Natural Resources Wales	January 2018	Annually
Source Protection Zones		
Natural Resources Wales	July 2022	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences		
Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences		
Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences		
Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas		
Natural Resources Wales	August 2019	Quarterly
Flood Defences		
Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines		
Ordnance Survey	April 2023	Quarterly
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	**Version**	**Update Cycle**
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Natural Resources Wales	March 2023	As notified
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency Wales - South West Area	January 2023	Quarterly
Natural Resources Wales	October 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency Wales - South West Area	July 2021	Quarterly
Natural Resources Wales	May 2023	Quarterly
Local Authority Landfill Coverage		
Bridgend County Borough Council	February 2003	Not Applicable
Neath Port Talbot County Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Bridgend County Borough Council	October 2018	
Neath Port Talbot County Borough Council - Environmental Health Department	October 2018	
Registered Landfill Sites		
Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency Wales - South West Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Bridgend County Borough Council - Planning Department	March 2023	Variable
Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
Bridgend County Borough Council - Planning Department	February 2016	Variable
Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	
Cheshire Brine Subsidence Compensation Board (CBSCB)	November 2020	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	September 2022	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	September 2022	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	April 2023	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	June 2023	Quarterly
Gas Pipelines		
National Grid	October 2021	Bi-Annually
Underground Electrical Cables		
National Grid	February 2023	Bi-Annually
Sensitive Land Use	**Version**	**Update Cycle**
Ancient Woodland		
Natural Resources Wales	April 2023	Bi-Annually
Areas of Adopted Green Belt		
Bridgend County Borough Council	July 2022	Quarterly
Neath Port Talbot County Borough Council - Planning Services	July 2022	Quarterly
Areas of Unadopted Green Belt		
Bridgend County Borough Council	July 2022	Quarterly
Neath Port Talbot County Borough Council - Planning Services	July 2022	Quarterly
Areas of Outstanding Natural Beauty		
Natural Resources Wales	April 2023	Bi-Annually
Environmentally Sensitive Areas		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Bridgend County Borough Council	March 2023	Bi-Annually
Neath Port Talbot County Borough Council	March 2023	Bi-Annually
Marine Nature Reserves		
Natural Resources Wales	April 2023	Bi-Annually
National Nature Reserves		
Natural Resources Wales	February 2023	Bi-Annually
National Parks		
Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	April 2016	
Natural Resources Wales	March 2023	Bi-Annually
Ramsar Sites		
Natural Resources Wales	March 2023	Bi-Annually
Sites of Special Scientific Interest		
Natural Resources Wales	March 2023	Bi-Annually
Special Areas of Conservation		
Natural Resources Wales	April 2023	Bi-Annually
Special Protection Areas		
Natural Resources Wales	April 2023	Bi-Annually

Data Suppliers


A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Natural Resources Wales** Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	**Bridgend County Borough Council** PO Box 4, Civic Offices, Angel Street, Bridgend, Mid Glamorgan, CF31 1LX	Telephone: 01656 643643 Fax: 01656 668126 Website: www.bridgend.gov.uk
6	**Neath Port Talbot County Borough Council - Environmental Health Department** Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice E



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Standard Gauge Single Track
Road Under
Road Over
Level Crossing
Foot Bridge
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	2
Glamorganshire	1:10,560	1900	3
Glamorganshire	1:10,560	1921	4
Glamorganshire	1:10,560	1938 - 1947	5
Glamorganshire	1:10,560	1947	6
Ordnance Survey Plan	1:10,000	1964	7
Ordnance Survey Plan	1:10,000	1970	8
Ordnance Survey Plan	1:10,000	1987	9
10K Raster Mapping	1:10,000	1999	10
Street View	Variable		11

Historical Map - Slice E




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Glamorganshire

Published 1900

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

034NW
1900
1:10,560

034SW
1900
1:10,560

Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Glamorganshire

Published 1921

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

034NW
1921
1:10,560

034SW
1921
1:10,560

Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Glamorganshire

Published 1938 - 1947

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

034NW
1938
1:10,560

034SW
1947
1:10,560

Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1947


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1970


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Ordnance Survey Plan

Published 1987


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

RSK


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Street View


Published 2023

Source map scale - 1:10,000

Street View is a street-level map for the whole of Great Britain produced by the Ordnance Survey. These maps are provided at a nominal scale of 1:10,000

Map Name(s) and Date(s)

Street View Map - Slice E



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

RSK

General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Map ID
Several of Type at Location

Agency and Hydrological

Contaminated Land Register Entry or Notice (Location)
Contaminated Land Register Entry or Notice
Discharge Consent
Enforcement or Prohibition Notice
Integrated Pollution Control
Integrated Pollution Prevention Control
Local Authority Integrated Pollution Prevention and Control
Local Authority Pollution Prevention and Control
Local Authority Pollution Prevention and Control Enforcement
Pollution Incident to Controlled Waters
Prosecution Relating to Authorised Processes
Prosecution Relating to Controlled Waters
Registered Radioactive Substance
River Network or Water Feature
River Quality Sampling Point
Substantiated Pollution Incident Register
Water Abstraction
Water Industry Act Referral

Geological

BGS Recorded Mineral Site

Industrial Land Use

Contemporary Trade Directory Entry
Fuel Station Entry


Waste

BGS Recorded Landfill Site (Location)
BGS Recorded Landfill Site
EA Historic Landfill (Buffered Point)
EA Historic Landfill (Polygon)
Integrated Pollution Control Registered Waste Site
Licensed Waste Management Facility (Landfill Boundary)
Licensed Waste Management Facility (Location)
Local Authority Recorded Landfill Site (Location)
Local Authority Recorded Landfill Site
Registered Landfill Site
Registered Landfill Site (Location)
Registered Landfill Site (Point Buffered to 100m)
Registered Landfill Site (Point Buffered to 250m)
Registered Waste Transfer Site (Location)
Registered Waste Transfer Site
Registered Waste Treatment or Disposal Site (Location)
Registered Waste Treatment or Disposal Site

Hazardous Substances

COMAH Site
Explosive Site
NIHHS Site
Planning Hazardous Substance Consent
Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Industrial Land Use Map


General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Slice
Map ID

Industrial Land Use

Contemporary Trade Directory Entry
Fuel Station Entry
Gas Pipeline
Underground Electrical Cables

Industrial Land Use Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

RSK

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice E




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

OS Water Network Map - Slice E



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	1000


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Glamorganshire	1:2,500	1942	5
Ordnance Survey Plan	1:2,500	1963	6
Additional SIMs	1:2,500	1987	7
Large-Scale National Grid Data	1:2,500	1993	8

Historical Map - Segment E1



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E1




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E1




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E1




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Glamorganshire

Published 1942


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E1




Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


285400
285600
285800
186000
185800
185600
Mynydd Ty-talwyn
4300
·44
4300
·10
5800
19·21
5800
4·37
8500
13·34
8500
5·63
5389
3·34
8185
12·50
3272
·73
7268
14·18
Huts
(sites of)
Earthwork
Spring
Spring
Tanks
Sluice
7448
·74
Nant Cwm Cadlan
Nant Cwm Cadlan
Nant Cwm Cadlan



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1987


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E1




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E1



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918 - 1919	4
Glamorganshire	1:2,500	1942	5
Ordnance Survey Plan	1:2,500	1963 - 1964	6
Additional SIMs	1:2,500	1987 - 1992	7
Large-Scale National Grid Data	1:2,500	1993	8

Historical Map - Segment E2



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876 - 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918 - 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Glamorganshire

Published 1942


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1963 - 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1987 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E2




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS8586 1993 1:2,500	SS8686 1993 1:2,500
SS8585 1993 1:2,500	SS8685 1993 1:2,500

Historical Map - Segment E2



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918 - 1919	4
Glamorganshire	1:2,500	1942	5
Ordnance Survey Plan	1:2,500	1964	6
Additional SIMs	1:2,500	1989 - 1992	7
Large-Scale National Grid Data	1:2,500	1993	8

Historical Map - Segment E3




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Glamorganshire

Published 1876 - 1877

Source map scale - 1:2,500


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

034_06
1877
1:2,500

034_10
1876
1:2,500

Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918 - 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Glamorganshire

Published 1942


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1989 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E3




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E3



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918 - 1919	4
Glamorganshire	1:2,500	1942	5
Ordnance Survey Plan	1:2,500	1964	6
Ordnance Survey Plan	1:2,500	1974	7
Additional SIMs	1:2,500	1985 - 1989	8
Large-Scale National Grid Data	1:2,500	1993	9

Historical Map - Segment E4



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

287400 287600 287800 288000

186000 185800 185600

38
5·604

37
4·403

64
8·920

32
7·958

36
7·514

35
10·571

65
6·791

Old Quarry

Spring

34
4·612

66
2·268

68
4·368

33
12·884

67
6·647

B a i d a n

781

343

342

345

B.M. 780·9

Spring

775

D O W E R

© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

0 100 m

RSK


Glamorganshire

Published 1876 - 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918 - 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1942


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS8786 1964 1:2,500	SS8886 1964 1:2,500
SS8785 1964 1:2,500	SS8885 1964 1:2,500

Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1974


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Additional SIMs

Published 1985 - 1989


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E4




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E4



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500




B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250




Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963	5
Additional SIMs	1:2,500	1987	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E5



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E5




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

0 100 m

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E5



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E5




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1963


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E5




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1987


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E5




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E5



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details


Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963 - 1964	5
Additional SIMs	1:2,500	1987 - 1992	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E6



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876 - 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E6




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E6




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E6




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1963 - 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E6




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Additional SIMs

Published 1987 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E6



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E6



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1989 - 1992	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E7




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E7




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E7



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E7




Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


286800
287000
287200
186600
186400
186200
Issues
Sinks
Refuse Tip
Track
Track
Track



RSK


Additional SIMs

Published 1989 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E7



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E7



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Ordnance Survey Plan	1:2,500	1974	6
Additional SIMs	1:2,500	1985 - 1989	7
Large-Scale National Grid Data	1:2,500	1993	8

Historical Map - Segment E8




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E8




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E8




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E8



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E8




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1974


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E8



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Additional SIMs

Published 1985 - 1989


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E8



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E8



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details


Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963	5
Additional SIMs	1:2,500	1987	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E9




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E9




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E9




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E9




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1963


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E9



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Additional SIMs

Published 1987


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E9




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E9



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1898 - 1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963 - 1964	5
Additional SIMs	1:2,500	1964 - 1992	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876 - 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1898 - 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1963 - 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1964 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E10




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E10



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details


Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1898 - 1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1964 - 1992	6
Large-Scale National Grid Data	1:2,500	1993	7

Historical Map - Segment E11




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E11




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1898 - 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E11




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E11




Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


286800
287000
287200
187400
187200
187000
186800
Issues
Drain
Drain
Track
Bryn-y-fro
Spring
Track
Track
Track




Additional SIMs

Published 1964 - 1992


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E11




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E11



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1898 - 1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1964 - 1989	6
Ordnance Survey Plan	1:2,500	1970 - 1974	7
Large-Scale National Grid Data	1:2,500	1993	8

Historical Map - Segment E12



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E12



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1898 - 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E12




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E12




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E12




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

0 100 m

RSK

Additional SIMs

Published 1964 - 1989


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS8787 1964 1:2,500	SS8887 1980 1:2,500
SS8786 1989 1:2,500	SS8886 1985 1:2,500

Historical Map - Segment E12




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Ordnance Survey Plan

Published 1970 - 1974


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E12




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS8787 1993 1:2,500	SS8887 1993 1:2,500
SS8786 1993 1:2,500	SS8886 1993 1:2,500

Historical Map - Segment E12



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963 - 1964	5
Large-Scale National Grid Data	1:2,500	1993	6

Historical Map - Segment E13




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1876


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E13




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E13




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E13




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1963 - 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E13




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E13



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1877	2
Glamorganshire	1:2,500	1898 - 1899	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1963 - 1964	5
Additional SIMs	1:2,500	1964 - 1980	6
Additional SIMs	1:2,500	1990	7
Large-Scale National Grid Data	1:2,500	1993	8
Large-Scale National Grid Data	1:2,500	1995	9

Historical Map - Segment E14




Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286670, 186790
Slice: E
Site Area (Ha): 837.17
Search Buffer (m): 100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1876 - 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E14




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1898 - 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E14




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E14




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Ordnance Survey Plan

Published 1963 - 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E14



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1964 - 1980


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E14



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1990


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E14



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK

Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS8588 1993 1:2,500	SS8688 1993 1:2,500
SS8587 1993 1:2,500	SS8687 1993 1:2,500

Historical Map - Segment E14



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1995


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E14



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details


Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1898	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1964 - 1980	6
Additional SIMs	1:2,500	1990	7
Large-Scale National Grid Data	1:2,500	1993	8
Large-Scale National Grid Data	1:2,500	1995	9
Large-Scale National Grid Data	1:2,500	1996	10

Historical Map - Segment E15



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1898


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E15




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1964 - 1980


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E15




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1990


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E15




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Large-Scale National Grid Data

Published 1995


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Large-Scale National Grid Data

Published 1996


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E15



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B.P B.S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

RSK

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877	2
Glamorganshire	1:2,500	1898	3
Glamorganshire	1:2,500	1918	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1964 - 1980	6
Ordnance Survey Plan	1:2,500	1970	7
Large-Scale National Grid Data	1:2,500	1993	8
Large-Scale National Grid Data	1:2,500	1995	9
Large-Scale National Grid Data	1:2,500	1996	10

Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1877


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Glamorganshire

Published 1898


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

0 100 m

RSK


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Additional SIMs

Published 1964 - 1980


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

RSK


Ordnance Survey Plan

Published 1970


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


287400
287600
287800
288000
188000
187800
187600
ETL
Works
Orain
Nc(scat)
Gelli-siriol
Gelli-siriol
Nc(scat)
Works
Nc(scat)
Orain
Shaft
Shingle
Shingle
Shingle
Afon Llynfi
Nant y Gadlys
Spring
Issues
Spring
Shingle
Track
Spring
Nc(scat)
ETL
MP .25
Cowbridge
6337
4500
5500
7100
7100
8800
8800
5586
4377
7269
4464
5761
7964
9070
9563
0063
7959
3755
7154
5248
8147
0050
0000
0000
0000




Large-Scale National Grid Data

Published 1995


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E16




Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



RSK


Large-Scale National Grid Data

Published 1996


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment E16



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286670, 186790
Slice:	E
Site Area (Ha):	837.17
Search Buffer (m):	100

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk