

Slice H



Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

314023019_1_1

Customer Reference:

323220

National Grid Reference:

286520, 188470

Slice:

H

Site Area (Ha):

837.17

Search Buffer (m):

1000

Site Details:

Mynydd ty-Talwyn

Proposed Energy Farm

Client Details:

Mrs F Clayton

RSK Environment Ltd

Spring Lodge

172 Chester Road

Helsby

Cheshire

WA6 0AR

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	22
Hazardous Substances	-
Geological	23
Industrial Land Use	25
Sensitive Land Use	26
Data Currency	28
Data Suppliers	32
Useful Contacts	33

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2023. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2023. © Natural Resources Wales & United Kingdom Research and Innovation 2023.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3				7
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 5		Yes		
Pollution Incidents to Controlled Waters	pg 5				12
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 7			1	1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 8				1
Substantiated Pollution Incident Register	pg 8				1
Water Abstractions	pg 9				(*3)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 9	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 11	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 11	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 12		2	12	69

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 22	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 23	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 23				3
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 23	Yes	n/a	n/a	n/a
Mining Instability	pg 23	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 23	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 23		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 23	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 24	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 24	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 25				5
Fuel Station Entries	pg 25				1
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 26	3	2	3	11
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285000 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285500 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285900 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	285950 187450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	286950 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	286900 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	286700 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	286500 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	285000 188600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	14	1	286050 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	27	1	286100 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	28	1	286050 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	43	1	286500 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	47	1	286520 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	60	1	284950 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	62	1	285950 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	65	1	286050 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	66	1	286050 187850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	67	1	286050 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	73	1	286000 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(S)	76	1	286520 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	87	1	286050 187750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	93	1	286050 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (NE)	93	1	286520 188469
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	94	1	286100 187900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	96	1	286550 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	100	1	285900 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	108	1	286100 187950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	111	1	285950 187600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	115	1	286000 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	116	1	285650 187650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	120	1	286520 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	134	1	286100 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	143	1	286050 187900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	145	1	286700 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	146	1	286550 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (E)	167	1	286650 188469
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	175	1	286050 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	H2SE (S)	183	1	286600 188200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (SE)	199	1	286550 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	219	1	286000 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	220	1	286650 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	225	1	285900 187750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	239	1	284800 187650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	245	1	287300 187850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	250	1	287350 187800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H3SW (SE)	253	1	286700 188350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	299	1	287450 187750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	308	1	284750 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	314	1	285950 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	351	1	287550 187700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	377	1	285850 188050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	410	1	287850 187550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	440	1	287950 187500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	443	1	285800 188100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H1SW (W)	462	1	285600 188200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	470	1	285050 188000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	474	1	285300 188000
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Lletty Brongu Wwtw Llangynwyd Maes, Llangynwyd Maesteg Authority: Natural Resources Wales Catchment Area: LLYNFI - LLETTY BRONGU STW TO CONF WITH OGMORE Reference: Bp0271001 Permit Version: 1 Effective Date: 20th July 1998 Issued Date: 20th July 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Llynfi Status: Effective Positional Accuracy: Located by supplier to within 10m	H4SE (E)	987	2	287900 188240

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Lletty Brongu Wwtw Llangynwyd Maes, Llangynwyd Maesteg Authority: Natural Resources Wales Catchment Area: Not Given Reference: BP027100101 Permit Version: 1 Effective Date: 20th July 1998 Issued Date: 20th July 1998 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: River Llynfi Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	H4SE (E)	987	2	287900 188240
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Lletty Brongu Wwtw Llangynwyd Maes, Llangynwyd Maesteg Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0271001 Permit Version: Not Supplied Effective Date: 20th July 1998 Issued Date: 20th July 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Llynfi Status: Effective Positional Accuracy: Located by supplier to within 10m	H4SE (E)	987	2	287900 188240
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Bryn Tce, Maesteg, Mid Glamorgan Authority: Natural Resources Wales Catchment Area: LLYNFI - HEADWATERS TO LLETTY BRONGU STW Reference: BA2039701 Permit Version: 2 Effective Date: 4th September 1987 Issued Date: 3rd September 1987 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Llynfi Status: Effective Positional Accuracy: Located by supplier to within 100m	H4SE (E)	990	2	287870 188280
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Bryn Tce, Maesteg, Mid Glamorgan Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Ba2039701 Permit Version: Not Supplied Effective Date: 4th September 1987 Issued Date: 3rd September 1987 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Llynfi Status: Effective Positional Accuracy: Located by supplier to within 10m	H4SE (E)	990	2	287870 188280

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Bryn Tce, Maesteg, Mid Glamorgan Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Ba2039701 Permit Version: 1 Effective Date: 1st March 1982 Issued Date: 1st March 1982 Revocation Date: 18th June 1987 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Not Supplied Environment: Receiving Water: River Llynfi Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	H4SE (E)	990	2	287870 188280
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Llety Brongu Stw (Settled Stor) Authority: Natural Resources Wales Catchment Area: River Ogmore Reference: Bp0000102 Permit Version: 1 Effective Date: 6th February 1989 Issued Date: 6th February 1989 Revocation Date: 31st December 1993 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Not Supplied Environment: Receiving Water: River Llynfi Status: Consent expired Positional Accuracy: Located by supplier to within 10m	H4SE (E)	993	2	287900 188250
	Nearest Surface Water Feature	H2SE (S)	209	-	286592 188164
2	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewage Treatment Works Location: Lletty Brongu, Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Poor Operational Practise Incident Date: 21st August 1991 Incident Reference: 1377 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Bypass Of Treatment Facilities Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	882	3	287800 188195
2	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewage Treatment Works Location: Lletty Brongu, Sewage Treatment Works Maesteg Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Blocked Sewer Incident Date: 29th October 1994 Incident Reference: 21641 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Bypass Of Treatment Facilities Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	885	3	287805 188195
2	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewage Treatment Works Location: Lletty, Brongu Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 12th August 1991 Incident Reference: 1352 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Bypass Of Treatment Facilities Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	885	3	287800 188200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Sewage Works At Llangynwyd, Discolouration For 3 Miles Authority: Environment Agency, Welsh Region Pollutant: Sewage - Treated Effluent Note: Blockage Incident Date: 21st March 1997 Incident Reference: 31577 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	889	3	287805 188200
3	Pollution Incidents to Controlled Waters Property Type: Not Given Location: 18 Heol Cwywyd, Llangynwyd, BRIDGEND Authority: Environment Agency, Welsh Region Pollutant: Oils - Petrol Note: River Llynfi; Leakage Incident Date: 19th June 1997 Incident Reference: 32649 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H3NW (NE)	889	3	286700 188795
3	Pollution Incidents to Controlled Waters Property Type: Not Given Location: 18 Heol Cwywyd, Llangynwyd, BRIDGEND Authority: Environment Agency, Welsh Region Pollutant: Oils - Petrol Note: Vandalism Incident Date: 19th June 1997 Incident Reference: 32649 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H3NW (NE)	894	3	286700 188800
4	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Lledyrondy Sewage Works, MAESTEG Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Weather Incident Date: 1st March 1997 Incident Reference: 31437 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	948	3	287800 188295
5	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Lletty Brongu Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Weather Incident Date: 1st March 1997 Incident Reference: 31437 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	951	3	287805 188295
5	Pollution Incidents to Controlled Waters Property Type: Not Given Location: From Old Power Station, Up To Lletty Brongu, Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Sewage Fungus Note: Inadequate Design Incident Date: 15th January 1997 Incident Reference: 30940 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Effluent Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	951	3	287800 188300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Passed Papermills, Down To Coyrathen Village Authority: Environment Agency, Welsh Region Pollutant: Sewage Debris/Litter Note: Emergency Overflow Incident Date: 24th March 1997 Incident Reference: 31724 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	985	3	287850 188295
5	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Storm Overflow, 100 Yards Down Stream Bridge, By Lletty Brongu Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Sewage - Treated Effluent Note: Emergency Overflow Incident Date: 6th March 1997 Incident Reference: 31438 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	989	3	287855 188295
5	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Lletty Brongu, Sewage Treatment Works Authority: Environment Agency, Welsh Region Pollutant: Milk/Creamery Wastes Note: Not Supplied Incident Date: 20th April 1995 Incident Reference: 23803 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H4SE (E)	989	3	287850 188300
	River Quality Name: Llynfi GQA Grade: River Quality B Reach: Conf.Nant Gwyn-Conf.Trib.D/S Stw B Estimated Distance (km): 1.3 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000	H4SE (E)	449	3	287861 188292
	River Quality Name: Llynfi GQA Grade: River Quality B Reach: Conf.Trib.D/S Stw B - Conf.Nant Cwmdru Estimated Distance (km): 1.2 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000	H3NE (E)	933	3	287213 188638

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	River Quality Chemistry Sampling Points Name: Llynfi Reach: Confluence Tributary Downstream Sewage Treatment Works R.B To Confluence Nant Cwmdu Estimated Distance: 1.20 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	H4SE (E)	930	3	287790 188280
7	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 22nd May 2001 Incident Reference: 6418 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Contaminated Water: Suspended Solids	H4SE (E)	941	2	287750 188340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mr John Parry Jenkins Licence Number: Wa/058/0041/001 Permit Version: 1 Location: Nant Cwm Du At Melin Pont Rhyd-Y-Cyff Authority: Natural Resources Wales Abstraction: Production Of Energy: Hydroelectric Power Generation Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 22nd March 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	H8NW (NE)	1823	2	287459 189463
	Water Abstractions Operator: Alan Swaffer Licence Number: Wa/058/0041/003 Permit Version: Not Supplied Location: Pont Rhyd-Y-Cyff, Pont Rhyd Y Cyff, Llangynwyd, Maesteg, Cf34 0eh Authority: Natural Resources Wales Abstraction: Electricity: Hydro-electric Power Generation - Very Low Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	H8NW (NE)	1823	2	287459 189463
	Water Abstractions Operator: Alan Swaffer Licence Number: Wa/058/0041/001 Permit Version: Not Supplied Location: Pont Rhyd-Y-Cyff, Pont Rhyd-Y-Cyff, Llangynwyd, Maesteg, Cf34 0eh Authority: Natural Resources Wales Abstraction: Production Of Energy: Hydroelectric Power Generation Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	H8NW (NE)	1823	2	287459 189463
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	286000 187859

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	286977 187686
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	286099 187982
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	(SE)	0	2	287000 187697
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	286461 187971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	(SE)	0	2	287000 187867
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	285000 188000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	286000 187962
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	H2SE (NE)	0	2	286520 188469
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	2	285000 188469
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(SE)	0	2	286977 187686
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	H2SE (E)	0	2	286541 188468
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 192.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SE (S)	209	4	286542 188268
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SW (SW)	239	4	286046 188165
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 330.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SW (W)	258	4	286041 188362
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SE (S)	263	4	286641 188169
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 217.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3SW (SE)	279	4	286996 188158
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SE (S)	296	4	286641 188175
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 103.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3SW (SE)	301	4	286672 188272
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SW (W)	319	4	286105 188300
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 84.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2SW (SW)	319	4	286027 188205

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (S)	340	4	286545 188278
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (S)	340	4	286519 188337
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (S)	351	4	286544 188367
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (SE)	351	4	286564 188372
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 155.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (SE)	497	4	286641 188402
22	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2SE (E)	539	4	286583 188474
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2NE (NE)	547	4	286567 188500
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H2NE (NE)	596	4	286585 188530
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 296.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	601	4	285647 188254

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2NE (NE)	607	4	286630 188520
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H2NE (NE)	607	4	286615 188544
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	634	4	286711 188520
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (NE)	634	4	286681 188570
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	646	4	286741 188519
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	665	4	286784 188517
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	665	4	286761 188552
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (NE)	685	4	286723 188581
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (NE)	685	4	286741 188590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	698	4	286845 188518
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 120.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	698	4	286811 188574
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	698	4	286845 188518
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 277.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H1SW (W)	712	4	285546 188296
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 425.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 1	H4SE (E)	735	4	287908 188219
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	744	4	286909 188570
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	744	4	286920 188520
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	749	4	286926 188521
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H3NW (E)	771	4	286963 188534

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (E)	775	4	286958 188528
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (NE)	778	4	286860 188637
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (E)	779	4	286962 188530
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 293.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (E)	782	4	286963 188534
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (NE)	783	4	286812 188635
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	787	4	285546 188296
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 190.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4SE (E)	795	4	287746 188234
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	812	4	285572 188403
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	813	4	285531 188320

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	816	4	285528 188322
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	816	4	285529 188323
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	816	4	285533 188333
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	824	4	285604 188450
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1NW (W)	828	4	285622 188583
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	835	4	285544 188378
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 207.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	846	4	285447 188357
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 67.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	873	4	285447 188357
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	886	4	285368 188387

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	906	4	285371 188391
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1SW (W)	910	4	285415 188415
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1NW (W)	914	4	285622 188583
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 237.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H4NW (E)	914	4	287635 188493
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4NW (E)	917	4	287479 188509
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 198.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4SE (E)	924	4	287747 188340
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H4SE (E)	924	4	287761 188303
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H4NW (E)	929	4	287526 188499
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 250.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Nant y Castell Catchment Name: Ogmore Primacy: 1	H1SW (W)	933	4	285415 188415

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H4NW (E)	933	4	287478 188553
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1NW (W)	944	4	285589 188592
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NW (NE)	944	4	286906 188769
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H3NE (E)	954	4	287339 188615
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4NW (E)	960	4	287428 188611
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1NW (W)	968	4	285591 188628
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H1NW (W)	968	4	285600 188648
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmore Primacy: 1	H3NE (E)	971	4	287320 188625
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H3NE (E)	971	4	287339 188615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 2	H3NE (E)	972	4	287281 188637
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 1	H3NE (E)	975	4	287282 188646
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H4NW (E)	976	4	287556 188578
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 1	H4NW (E)	976	4	287580 188518
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 1	H4SE (E)	979	4	287898 188256
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H4SE (E)	979	4	287908 188219
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 154.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H4SE (E)	981	4	287800 188368
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 254.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmores Primacy: 1	H4NW (E)	985	4	287635 188493
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 118.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Llynfi Catchment Name: Ogmores Primacy: 1	H3NE (E)	987	4	287186 188710

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4NW (E)	992	4	287418 188613
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Ogmore Primacy: 1	H4SE (E)	996	4	287882 188295

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Bridgend County Borough Council - Has supplied landfill data		0	5	286520 188469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	H2SE (NE)	0	1	286520 188469
91	BGS Recorded Mineral Sites Site Name: Foel-Fach Location: Llangynwyd, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160191 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	H1SW (W)	839	1	285606 188459
92	BGS Recorded Mineral Sites Site Name: Foel-Fach Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160193 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	H4SW (E)	852	1	287459 188443
93	BGS Recorded Mineral Sites Site Name: Foel-Fach Location: Pont Rhyd-Y-Cyff, Maesteg, Mid Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 160192 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	H4NW (E)	923	1	287487 188508
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	H2SE (NE)	0	6	286520 188469
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	H2SE (NE)	0	-	286520 188469
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(S)	21	1	286374 188052
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(S)	21	1	286374 188052
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H2SE (E)	0	1	286541 188468
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H2SW (SW)	0	1	286078 188282
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H3SE (SE)	91	1	287061 188150
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2SE (E)	0	1	286541 188468
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(S)	21	1	286374 188052
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2SE (E)	0	1	286541 188468
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	H2SE (NE)	0	1	286520 188469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
94	Contemporary Trade Directory Entries Name: Embassy Motors Location: Bridgend Road, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9SW Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	H3NW (E)	764	-	286973 188506
94	Contemporary Trade Directory Entries Name: Embassy Motors Location: Embassy Motors, Bridgend Road, Maesteg, CF34 9SW Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	H3NW (E)	765	-	286976 188506
95	Contemporary Trade Directory Entries Name: Shell Location: Bridgend Rd, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9SW Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	H3NW (E)	782	-	286925 188564
96	Contemporary Trade Directory Entries Name: K Morgan & Son Location: 1, Gelli Siriol Cottage, Llangynwyd, Maesteg, Mid Glamorgan, CF34 9RW Classification: Agricultural Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	H3NE (E)	873	-	287136 188551
96	Contemporary Trade Directory Entries Name: K Morgan & Son Location: 1 Gelli Siriol Cottage, Llangynwyd, Maesteg, CF34 9RW Classification: Agricultural Engineers Status: Active Positional Accuracy: Automatically positioned to the address	H3NE (E)	875	-	287133 188554
97	Fuel Station Entries Name: Four Sevens Service Station Location: Bridgend Road , Llangynwyd , Maesteg, Bridgend, CF34 9SW Brand: SHELL Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Manually positioned to the address or location	H3SW (E)	738	-	286996 188464

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
98	Ancient Woodland Name: Not Supplied Reference: 22161 Area(m²): 7926.34 Type: Restored Ancient Woodland Site	(SW)	0	2	285434 187512
99	Ancient Woodland Name: Not Supplied Reference: 15808 Area(m²): 5236.87 Type: Ancient and Semi-Natural Woodland	(S)	0	2	286909 187474
100	Ancient Woodland Name: Not Supplied Reference: 15812 Area(m²): 177717.76 Type: Ancient and Semi-Natural Woodland	(S)	0	2	286640 188066
101	Ancient Woodland Name: Not Supplied Reference: 15809 Area(m²): 3907.57 Type: Ancient and Semi-Natural Woodland	(SW)	5	2	286111 187517
102	Ancient Woodland Name: Not Supplied Reference: 15810 Area(m²): 38048.17 Type: Ancient and Semi-Natural Woodland	(SE)	210	2	287016 187950
103	Ancient Woodland Name: Not Supplied Reference: 11877 Area(m²): 10475.01 Type: Ancient and Semi-Natural Woodland	H3SW (SE)	256	2	286687 188336
104	Ancient Woodland Name: Not Supplied Reference: 15813 Area(m²): 4186.16 Type: Ancient and Semi-Natural Woodland	H3SW (SE)	435	2	286684 188366
105	Ancient Woodland Name: Not Supplied Reference: 15815 Area(m²): 160071.1 Type: Ancient and Semi-Natural Woodland	H4NW (E)	453	2	287498 188580
106	Ancient Woodland Name: Not Supplied Reference: 11878 Area(m²): 2958.21 Type: Ancient and Semi-Natural Woodland	H2NE (NE)	614	2	286565 188549
107	Ancient Woodland Name: Not Supplied Reference: 10747 Area(m²): 86295.1 Type: Restored Ancient Woodland Site	H1SW (W)	682	2	285639 188408
108	Ancient Woodland Name: Not Supplied Reference: 22162 Area(m²): 2324.08 Type: Restored Ancient Woodland Site	H1SW (W)	757	2	285627 188383
109	Ancient Woodland Name: Not Supplied Reference: 50015 Area(m²): 11569.07 Type: Ancient Woodland Site of Unknown Category	H4SE (E)	840	2	287835 188215
110	Ancient Woodland Name: Not Supplied Reference: 40354 Area(m²): 35620.15 Type: Plantation on Ancient Woodland	H1SW (W)	862	2	285514 188439
111	Ancient Woodland Name: Not Supplied Reference: 50426 Area(m²): 747.59 Type: Ancient Woodland Site of Unknown Category	(E)	887	2	287932 188077

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
112	Ancient Woodland Name: Not Supplied Reference: 15814 Area(m ²): 10516.79 Type: Ancient and Semi-Natural Woodland	H4NW (E)	887	2	287418 188615
113	Ancient Woodland Name: Not Supplied Reference: 15811 Area(m ²): 2619.88 Type: Ancient and Semi-Natural Woodland	(E)	911	2	288044 188023
114	Ancient Woodland Name: Not Supplied Reference: 15816 Area(m ²): 6310.1 Type: Ancient and Semi-Natural Woodland	H3NE (E)	920	2	287184 188670
115	Ancient Woodland Name: Not Supplied Reference: 15817 Area(m ²): 3750.47 Type: Ancient and Semi-Natural Woodland	H3NE (E)	964	2	287252 188722
116	Ancient Woodland Name: Not Supplied Reference: 40354 Area(m ²): 6.17 Type: Plantation on Ancient Woodland	(W)	976	2	285157 188449

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Bridgend County Borough Council - Environmental Health Department Natural Resources Wales	January 2020 June 2020	Annual Rolling Update Annually
Discharge Consents Environment Agency - Welsh Region Natural Resources Wales	August 2014 May 2023	Quarterly Quarterly
Enforcement and Prohibition Notices Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Welsh Region Natural Resources Wales	January 2021 May 2023	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Bridgend County Borough Council - Environmental Health Department	July 2015	Variable
Local Authority Pollution Prevention and Controls Bridgend County Borough Council - Environmental Health Department	July 2015	Not Applicable
Local Authority Pollution Prevention and Control Enforcements Bridgend County Borough Council - Environmental Health Department	July 2015	Variable
Nearest Surface Water Feature Ordnance Survey	May 2023	
Pollution Incidents to Controlled Waters Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes Environment Agency - Welsh Region Natural Resources Wales	July 2015 July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Welsh Region Natural Resources Wales	March 2013 March 2013	
Registered Radioactive Substances Natural Resources Wales Environment Agency - Welsh Region	January 2015 June 2016	As notified
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Natural Resources Wales Environment Agency Wales - South West Area	April 2023 January 2021	Quarterly Quarterly
Water Abstractions Environment Agency - Welsh Region Natural Resources Wales	April 2023 June 2023	Quarterly Quarterly
Water Industry Act Referrals Environment Agency - Welsh Region Natural Resources Wales	October 2017 October 2022	
Groundwater Vulnerability Map Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually

Agency & Hydrological	Version	Update Cycle
Source Protection Zones Natural Resources Wales	July 2022	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines Ordnance Survey	April 2023	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Natural Resources Wales	March 2023	As notified
Integrated Pollution Control Registered Waste Sites Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency Wales - South West Area Natural Resources Wales	January 2023 October 2021	Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency Wales - South West Area Natural Resources Wales	July 2021 May 2023	Quarterly Quarterly
Local Authority Landfill Coverage Bridgend County Borough Council	February 2003	Not Applicable
Local Authority Recorded Landfill Sites Bridgend County Borough Council	October 2018	
Registered Landfill Sites Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency Wales - South West Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Bridgend County Borough Council - Planning Department	March 2023	Variable
Planning Hazardous Substance Consents Bridgend County Borough Council - Planning Department	February 2016	Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	September 2022	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	September 2022	Annually


Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	April 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	June 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Underground Electrical Cables National Grid	February 2023	Bi-Annually
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural Resources Wales	April 2023	Bi-Annually
Areas of Adopted Green Belt Bridgend County Borough Council	July 2022	Quarterly
Areas of Unadopted Green Belt Bridgend County Borough Council	July 2022	Quarterly
Areas of Outstanding Natural Beauty Natural Resources Wales	April 2023	Bi-Annually
Environmentally Sensitive Areas The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Bridgend County Borough Council	March 2023	Bi-Annually
Marine Nature Reserves Natural Resources Wales	April 2023	Bi-Annually
National Nature Reserves Natural Resources Wales	February 2023	Bi-Annually
National Parks Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones The National Assembly for Wales - GI Services (Department of Planning & Countryside) Natural Resources Wales	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural Resources Wales	March 2023	Bi-Annually
Sites of Special Scientific Interest Natural Resources Wales	March 2023	Bi-Annually
Special Areas of Conservation Natural Resources Wales	April 2023	Bi-Annually
Special Protection Areas Natural Resources Wales	April 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Bridgend County Borough Council PO Box 4, Civic Offices, Angel Street, Bridgend, Mid Glamorgan, CF31 1LX	Telephone: 01656 643643 Fax: 01656 668126 Website: www.bridgend.gov.uk
6	The Coal Authority - Property Searches 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer


Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.enwirocheck.co.uk



Superficial Aquifer Designation

General


- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice H



Order Details

Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	2
Glamorganshire	1:10,560	1900	3
Glamorganshire	1:10,560	1921	4
Glamorganshire	1:10,560	1938 - 1947	5
Glamorganshire	1:10,560	1947	6
Ordnance Survey Plan	1:10,000	1964 - 1965	7
Ordnance Survey Plan	1:10,000	1970 - 1975	8
Ordnance Survey Plan	1:10,000	1987	9
10K Raster Mapping	1:10,000	1999	10
Street View	Variable		11

Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Glamorganshire

Published 1884



Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Glamorganshire

Published 1900

Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk






Glamorganshire

Published 1921

Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Glamorganshire

Published 1938 - 1947

Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

026SW
1947
1:10,560
034NW
1938
1:10,560

Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Glamorganshire

Published 1947


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Ordnance Survey Plan

Published 1964 - 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS89SE	1965
1:10,560	
SS88NE	1964
1:10,560	

Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan
Published 1970 - 1975
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS89SE	1975	1:10,000
SS88NE	1970	1:10,560

Historical Map - Slice H



Order Details


Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286520, 188470
Slice:	H
Site Area (Ha):	837.17
Search Buffer (m):	1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.




Ordnance Survey Plan

Published 1987


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SS89SE	1999	1:10,000
SS88NE	1999	1:10,000

Historical Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Street View


Published 2023

Source map scale - 1:10,000

Street View is a street-level map for the whole of Great Britain produced by the Ordnance Survey. These maps are provided at a nominal scale of 1:10,000

Map Name(s) and Date(s)

Street View Map - Slice H



Order Details

Order Number:	314023019_1_1
Customer Ref:	323220
National Grid Reference:	286520, 188470
Slice:	H
Site Area (Ha):	837.17
Search Buffer (m):	1000


Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 11-Jul-2023 Page 11 of 11



© Crown Copyright. All Rights Reserved. License Number 100022432.



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Geological

- BGS Recorded Mineral Site

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry


Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- Prosecution Relating to Authorised Processes
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Underground Electrical Cables

Industrial Land Use Map - Slice H



Order Details


Order Number: 314023019_1_1
 Customer Ref: 323220
 National Grid Reference: 286520, 188470
 Slice: H
 Site Area (Ha): 837.17
 Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice H



Order Details


Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice H



Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

OS Water Network Map - Slice H



Order Details

Order Number: 314023019_1_1
Customer Ref: 323220
National Grid Reference: 286520, 188470
Slice: H
Site Area (Ha): 837.17
Search Buffer (m): 1000

Site Details

Mynydd ty-Talwyn, Proposed Energy Farm



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk